

**2016**  
**NEW PRODUCTS**

# NEVER COMPROMISE

A T A N Y D I S T A N C E

*Introducing the **HEAT SHIELD™ TIP... ONE tip, TWO bullets!***

**Conventional polymer tips in high BC bullets melt in flight.** Hornady® engineers discovered that conventional bullet tip materials in streamlined, high BC bullets melt and deform. Although not a significant issue affecting moderate BC conventional tipped varmint and hunting bullets, aerodynamic heating causes BC reduction and degradation of accuracy, particularly at extended ranges (400 yds +). To counter this effect, Hornady® identified a heat resistant polymer and developed the patent-pending Heat Shield™ tip. This revolutionary new tip creates the perfect meplat (tip) with exceptionally consistent results from bullet-to-bullet and lot-to-lot.

## ELD-X™ **NEW**

Extremely Low Drag - eXpanding



### • Best-in-class BCs

Verified by Doppler radar, the Heat Shield™ tip defies the effects of aerodynamic heating and retains its shape to maintain the highest-in-class BC over its entire trajectory.

### • Match accurate hunting bullet

Streamlined secant ogive with optimum boattail design + highly concentric AMP® bullet jackets + patent pending Heat Shield™ tip combine for radically superior aerodynamic efficiency.

### • Devastating conventional range performance

With high velocity, 0-400 yard impact, the bullet continually expands throughout its penetration path. The thick shank of the jacket and high Interlock® ring keep the core and jacket together providing 50-60% weight retention.

### • Best extended range terminal performance available

Upon low velocity, 400+ yard impacts, the Heat Shield™ tip drives backward into the bullet to initiate expansion. Exhibiting conventional expansion with a large mushroom and 85-90% retained weight the bullet provides deep penetration and large wound cavities.

*Available as component bullets or in factory loaded Precision Hunter™ ammunition.*



1800 fps



2660 fps

## ELD™ Match **NEW**

Extremely Low Drag Match



### • Best-in-class BCs

The Heat Shield™ tip defies the effects of aerodynamic heating and retains its shape to provide a perfect meplat (tip) that is always the same shape.

### • Delivers the highest degree of accuracy and bullet-to-bullet/lot-to-lot consistency.

Streamlined secant ogive with optimum boattail design + highly concentric AMP® bullet jackets + patent pending Heat Shield™ tip creates a supremely accurate, high BC match bullet.

### • Accurate, radar verified BCs

ELD-Match™ bullet BCs are measured with Doppler radar and corrected to standard atmospheric conditions.

*Available as component bullets or in factory loaded Hornady® Match™ ammunition.*




## THE PERFECT TIP

*The new Heat Shield™ tip creates the perfect meplat and outperforms BTHP bullets.*



# ELD-X™

**NEW**



CALIBER/TYPE	6.5mm ELD-X™	7mm ELD-X™	7mm ELD-X™	30 Cal. ELD-X™	30 Cal. ELD-X™	30 Cal. ELD-X™	30 Cal. ELD-X™
Diameter	.264"	.284"	.284"	.308"	.308"	.308"	.308"
Weight	143 gr.	162 gr.	175 gr.*	178 gr.	200 gr.	212 gr.*	220 gr.
G1 Ballistic Coef.	.620	.613	.660	.535	.626	.673	.650
G7 Ballistic Coef.	.311	.308	.330	.271	.315	.336	.325
Sec. Den.	.293	.287	.310	.268	.301	.319	.331
Item #	2635	2840	2841	3074	3076	3077	3078
Box Count	100	100	100	100	100	100	100

\*Long bullets/non-standard magazine length loads.



# PRECISION HUNTER™

**NEW**

## AMMUNITION

Loaded with the most advanced all-range hunting bullet available, Precision Hunter™ sets a new standard of accurate, deadly and dependable hunting performance. Your trophy has never been closer— even if it's far away! Featuring the radically superior ELD-X™ bullet with patented Heat Shield™ tip, Precision Hunter™ will soon be the "go-to" load for ANY hunting situation because of its effective terminal performance at ALL practical ranges.




CARTRIDGE	BULLET	ITEM	COUNT
6.5 CREEDMOOR	143 gr. ELD-X™	81499	20
7MM REM MAG	162 gr. ELD-X™	80636	20
308 WIN	178 gr. ELD-X™	80994	20
30-06 SPRG	178 gr. ELD-X™	81174	20
300 RCM	178 gr. ELD-X™	82224	20
300 WIN MAG	200 gr. ELD-X™	82002	20
300 REM ULTRA MAG	220 gr. ELD-X™	8209	20
30-378 WBY MAG	220 gr. ELD-X™	82214	20

# ELD™ MATCH

**NEW**



CALIBER/TYPE	6.5mm ELD™ Match	7mm ELD™ Match	30 Cal. ELD™ Match	338 Cal. ELD™ Match
Diameter	.264"	.284"	.308"	.338"
Weight	140 gr.	162 gr.	208 gr.	285 gr.
G1 Ballistic Coef.	.610	.627	.670	.789
G7 Ballistic Coef.	.305	.313	.335	.394
Sec. Den.	.287	.287	.313	.356
Item #	26331	28403	30731	33381
Box Count	100	100	100	50



## Match™ Ammunition

Featuring ELD™ Match bullets

CARTRIDGE	BULLET	ITEM	COUNT
6.5 Creedmoor	140 gr. ELD™ Match	81500	20
338 Lapua Mag	285 gr. ELD™ Match	82300	20

Ballistic data may be collected under any environmental conditions and any elevation, but Hornady® data is always calculated back to standard atmosphere to give shooters a true BC number in accordance with established standards.

Standard Atmosphere: Sea Level / 59 degrees F / 29.59 In Hg / .07647 lb/cu ft (density).



# Ammunition

## American Gunner® Rifle

Hornady® introduces new rifle calibers to complement the handgun offerings currently available. These rifle options are loaded with match grade hollow point bullets for a broad range of use including self-defense, target shooting, and varmint/small game hunting.

Made in the USA with premium components, American Gunner™ ammunition combines generations of ballistics know-how with modern components and technology. Conveniently packaged in 50-count boxes, they are exceptionally accurate and provide a great choice for all shooters.



CARTRIDGE	BULLET	ITEM	COUNT
223 Rem	55 gr. HP	80237	50
6.8MM SPC	110 gr. BTHP W/C	83467	50
300 Blackout	125 gr. HP	80897	50
308 Win	155 gr. BTHP	80967	50



### Superformance®

CARTRIDGE	BULLET	ITEM	COUNT
30-06 Springfield	180 gr. GMX®	81187	20
300 Win Mag	180 gr. GMX®	82196	20




### American Whitetail®

CARTRIDGE	BULLET	ITEM	COUNT
270 Win	140 gr. InterLock® SP	80534	20
7MM Rem Mag	154 gr. InterLock® SP	80590	20
308 Win	165 gr. InterLock® SP	80904	20
30-06 Springfield	180 gr. InterLock® SP	81084	20
300 Win Mag	180 gr. InterLock® SP	82044	20




### Full Boar®

CARTRIDGE	BULLET	ITEM	COUNT
25-06 Rem	90 gr. GMX®	81447	20
6.5 Creedmoor	120 gr. GMX®	81498	20
7MM-08 Rem	139 gr. GMX®	80577	20
300 Blackout	110 gr. GMX®	80874	20
30-30 Win	140 gr. MonoFlex®	80802	20




### Dangerous Game™

CARTRIDGE	BULLET	ITEM	COUNT
500-416 Nitro Express	400 gr. DGS®	82682	20
500-416 Nitro Express	400 gr. DGX®	82681	20
450 Rigby	480 gr. DGS®	82662	20
450 Rigby	480 gr. DGX®	82664	20



### Custom™


CARTRIDGE	BULLET	ITEM	COUNT
17 Hornet	25 gr. HP	83006	50
22 Hornet	45 gr. SP Match™	83028	50
30 Carbine	110 gr. RN	8104	25
30 Carbine	110 gr. FMJ	8102	50
300 Blackout	135 gr. FTX®	80881	20
300 Wby Mag	180 gr. GMX®	8224	20
300 Rem Ultra Mag	180 gr. GMX®	8207	20
30-378 Wby Mag	180 gr. GMX®	82210	20



### Critical Duty®

CARTRIDGE	BULLET	ITEM	COUNT
10MM Auto	175 gr. FlexLock®	91256	20

## BULLETS



CALIBER/ TYPE	30 Cal. GMX®	30 Cal. GMX®	30 Cal. HP	30 Cal. GMX®
Diameter	.308"	.308"	.308"	.308"
Weight	110 gr.	125 gr.	125 gr.	180 gr.
Ballistic Coef.	.305	.295	.320	.485
Sec. Den.	.166	.188	.188	.271
Item #	30191	30190	30192	30193
Box Count	50	50	100	50

## G2-1500 ELECTRONIC SCALE **NEW**

This trickle compatible scale features a constant readout, compact design and wire free battery power supply (two AAA batteries). The precision load cell ensures 1/10th grain accuracy up to 500 grains with a max reference measurement of 1,500 grains. This scale offers the flexibility to either trickle powder into the pan, or weigh charges, bullets or case weights directly.



Trickler Sold Separately

No. 050106

## HORNADY® SAFE CYCLE™ **NEW**

Grip it and rip it with the Hornady® Safe Cycle™, an empty chamber indicator that also operates as a load-assist device for those who prefer to keep their long gun ready with a fully charged magazine and a visibly empty chamber.



Simply insert the cartridge-shaped portion of the Safe Cycle™ into the chamber leaving the colored lever extruding from the gun's ejection port. Close the bolt and insert a loaded magazine (AR-15/10), or load the tubular magazine (select 12 gauge shotguns). The colored lever visually displays an empty chamber. To make ready, shoulder the firearm, grab the lever and pull straight back, allowing the Safe Cycle™ to fall to the ground so the fully charged bolt springs forward to feed a round into the chamber.



Safe Cycle™ AR-15 ..... No. 98201

Safe Cycle™ AR-10 ..... No. 98202

Safe Cycle™ 12 GA..... No. 98203

## HORNADY® CASES



RIFLE CASES	ITEM #	QTY
6MM HAGAR	8621	50
6MM CREEDMOOR	86280	50
25-35 WINCHESTER	86101	50
250 SAVAGE	86105	50
264 WIN MAG	86286	50
270 WBY MAG	8634	50
30 CARBINE	8650	50
7.62X39	8664	50
35 REM	8729	50

PISTOL CASES	ITEM #	QTY
32 AUTO	87055	200

## CASE & PARTS DRYER **NEW**

With the increased efficiency and speed of sonic cleaners, Hornady® now offers a way to dry large quantities of washed cartridge cases and gun parts with the new Case & Parts Dryer.

With an innovative top-mounted powerhead, cartridge cases and gun parts dry thoroughly and can be positioned on multiple levels for increased capacity. The three trays and a spacer for taller parts are quickly disassembled for easy cleanup.

No. 053310



SIZE	CASES PER TRAY	DRY TIME
9mm	240	1.5 - 2 hrs
45 ACP	180	1.5 - 2 hrs
.223	125	2 - 2.5 hrs
.308	80	2 - 2.5 hrs





# Reloading

## Lock-N-Load® Iron Press™

Representing the next evolution in single stage press technology, the Lock-N-Load® Iron Press™ is the heaviest, most rigid press in its class. Tight tolerances in manufacture and assembly combine to provide consistency and precision that will deliver match accurate ammunition, round-after-round, year-after-year.

**Lock-N-Load® Iron Press™** ..... No. 085520


**Auto Prime Upgrade.....** No. 085570



Incorporating our patented Lock-N-Load® bushing system, changeovers are lightening fast.



Industry leading strength and further ease of use comes from the spring assist 1-1/8" solid steel ram.



The Iron Press™ with its patented shell holder platform, is the first of its kind to allow hand loaders to deprime, pause and remove the case to chamfer and deburr, etc., then easily replace and prime.



The accessory mounting deck provides quick access to trays for bullets or cases, chamfer and deburr tools, case neck brushes, primer pocket cleaners and more.



The gravity fed Automatic Priming System and innovative die caddy (both sold separately or included with the Kit) helps increase reloading efficiency by allowing more processes to happen simultaneously.



The accessory mounting deck provides quick access to trays for bullets or cases, chamfer and deburr tools, case neck brushes, primer pocket cleaners and more.



The 26-pound cast iron frame is built to be the heaviest, most rigid press in its class and offers ambidextrous functionality.

## LOCK-N-LOAD® IRON PRESS™ KIT **NEW**

Blurring the lines between single stage and progressive reloading, the Lock-N-Load® Iron Press™ Kit is a full-featured reloading kit offering rugged reliability for years of precision reloading.

**No. 085521**

- Automatic Priming System
- Die Caddy
- Component Feed Bin & Bracket
- Digital Scale
- Powder Measure
- Reloading Handbook
- Unique™ Case Lube
- Lock-N-Load® Comparator Set of 6
- Lock-N-Load® Die Bushings 3-pack
- Powder Funnel 22-45 cal
- Digital Caliper
- Shell Holder Kit (#1, #2, #5, # 16, #35)
- Case prep accessories (chamfer & deburr tool, large & small primer pocket cleaners, neck brushes (22 cal, 25 cal, 6mm, 270 cal, 7mm, 30 cal, 35 cal, 45 cal))



# RAPiD® Safe 2600 & 2700 **NEW**

## THE NEXT GENERATION IN RFID SAFES!

### Fast and dependable touch-free entry

RFID activated by wristband, key fob or sticker that instantly opens the spring-assist lid. Up to five RFID tags can be programmed. It is also accessible by conventional key lock.

### Certified child-resistant

Exceeds ASTM International safety standards for child and pry resistance, lock strength, drop/pick/saw tests and hinge attack resistance.

### Heavy-duty, tamper proof construction

Exterior housing is made of thick 14 gauge steel with two internal hardened locking lugs.

### Safe and ready

AC and battery power ensures your handgun is protected and ready to go 24/7.

### Mobile security

Included cable allows the safe to be secured in virtually any location. Meets TSA requirements for handgun safety in checked luggage.\*

**Contents:** RAPiD® Safe, Wall Power Supply, RFID Wristband, two RFID Stickers, RFID Key Fob, two Circular Barrel Keys, Security Cable.



### RAPiD® Safe 2600 **NEW**

**Item No. 98175**

Fits many 4-inch barrel pistols and 2-inch revolvers.\*

Exterior: 10.7" x 8.7" x 2.9"  
Interior: 7" x 7.7" x 2.2"

### RAPiD® Safe 2700 **NEW**

**Item No. 98170**

Fits most 1911 size pistols and 4-inch revolvers.\*

Exterior: 12.7" x 8.7" x 2.9"  
Interior: 9" x 7.7" x 2.2"



WRISTBAND



KEY FOB



RFID STICKERS



KEY

# Key Lock Safe 2600KL & 2700KL **NEW**

### Certified child-resistant

Exceeds ASTM International safety standards for child and pry resistance, lock strength, drop/pick/saw tests and hinge attack resistance.

### Heavy-duty, tamper proof construction

Exterior housing is made of thick 14 gauge steel with dual internal locking lugs and 4-point capture mechanism.

### Mobile security

Included cable allows safe to be secured in virtually any location. Meets TSA requirements for handgun safety in checked luggage.\*

### Spring-assist lid

Easily opens when unlocked.

**Contents:** Key Lock Safe, two Circular Barrel Keys, Security Cable.



Includes 2 circular barrel keys.



### Key Lock Safe 2600KL **NEW**

**Item No. 98176**

Fits most 4-inch barrel pistols and some 4-inch revolvers.\*

Exterior: 10.7" x 8.7" x 2.9"  
Interior: 8" x 7.7" x 2.2"

### Key Lock Safe 2700KL **NEW**

**Item No. 98171**

Fits 1911 size pistols and 4-inch revolvers.\*

Exterior: 12.7" x 8.7" x 2.9"  
Interior: 10" x 7.7" x 2.2"

**\*IMPORTANT:** Do not store loaded firearms in any safe or lock box. Follow local laws for firearm storage. Check TSA regulations and airline policies before traveling with any portable safe. Check dimensions of your firearm against safe's internal dimensions noted on bottom of box. Firearm and firearm accessories not included.





# Accessories

## HORNADY® BENCH STOOL **NEW**

Providing a comfortable and stylish seat in your reloading room, garage or bar, this custom designed stool features a Hornady® logo on the seat and is made of durable marine grade vinyl, thick foam padding and chrome double rung reinforced legs. Seat dimensions: 14 x 14 x 5 inches. Overall dimensions: 20 x 20 x 31 inches.

No. 99103



## BALLISTIC BAND **NEW**

Avoid confusion and tag your guns with these handy Ballistic Bands. Sold as a 2-pack, the bands allow shooters to record the ammunition, bullet weight and ballistic information for quick reference in the field or in storage. Place it on your gun stock or wear on your wrist.

No. 99131



## HORNADY® CAPS **NEW**



Realtree® Camo  
No. 99298



OD Green & Tan Mesh  
No. 99284



Vintage Camo  
No. 99299



Women's Gray & Purple  
No. 99304



# Hornady®

*Accurate. Deadly. Dependable.*