



NEWS RELEASE FOR IMMEDIATE RELEASE



German Precision Optics (GPO) Expands to Fixed Power Scopes

RICHMOND, VA (Jan., 2022) — German Precision Optic USA's owner and CEO, Mike Jensen is pleased to announce that the company is entering the fixed power scope market with the introduction of its new SPECTRA™ 7.5x50i. Designed for the all-around scope user, this new riflescope features a slim and sleek configuration that will offer simplicity to shooters who do not need a variable power scope.

This new scope is engineered using a 50mm double HD objective lens system for enhanced resolution coupled with the GPObright™ high transmission lens coatings. A 30mm main tube maximizes optical performance while supporting incremental elevation adjustment capabilities. It is crafted from a solid, one-piece dust-proof, waterproof, nitrogen-filled body for ultimate strength and durability. An illuminated general use G4i reticle powered with the GPO iCONTROL™ illumination system will assist the shooter in placing the perfect shot in even the lowest light conditions. Custom designed turrets are made to easily reset your zero to the indicator mark on the scope body.

"The advantage a fixed power scope brings shooters is a larger than normal field of view, and when you match that with a 50mm objective and 7.5x magnification, you have the perfect all around scope that is lighter and has fewer mechanical parts" says Jensen.

The 7.5x50i fixed power scope comes with a cleaning cloth, see-through bikini ocular and objective lens scope covers, and an extra CR2032 battery. All GPO products purchased in the USA include the GPO, USA's Spectacular Lifetime Warranty™. Full details on this industry-changing warranty can be found at www.gpo-usa.com.

This new fixed power scope features high quality glass, proven precision and the quality construction that hunters and shooters have come to expect from GPO. It's currently available at both retailers nationwide and at www.gpo-usa.com for a retail price of 599.99.


About GPO USA

German Precision Optics was founded on the premise that design, engineering and quality management is 100 percent controlled in Germany to its strictest standards, yet products can be produced at some of the largest production facilities around the world. This unique corporate structure allows GPO to offer the highest quality products with better features at a significantly better price. The company is 100-percent confident that all its products will not only function perfectly but will exceed all expectations. Therefore, GPO, USA has created an industry-leading Spectacular Lifetime Warranty™. With outstanding professional service, GPO USA will take care of its products before, during, and after the purchase at no charge—EVER. Founded in 2016, GPO has its US headquarters in Richmond, VA. For more information on GPO USA visit www.gpo-usa.com or call 844-MY BINOS (844-692-4667.)

GPO RIFLESCOPE TECHNICAL SPECIFICATIONS

SPECTRA 1X

Optical parameter	Description	Value	7.5x50i FIXED	
			Min	Max
MODEL				
Magnification			7.5x	7.5x
Field of View (FOV)	Size of overall image	ft/100y	15.5	15.5
Field of View (FOV)	Size of overall image	m/100m	5.1	5.1
Exit pupil diameter	Measurement of the pupillary ocular beam	mm	6.2	6.2
Tube diameter	Measurement for mounting	mm or in.	30mm	
Objective diameter	Effective diameter	mm	50	
Eye Relief	From the last optical surface	inches	3.9	
Eye Relief	From the last optical surface	mm	97	
Focal plane	F2 - non-magnifying reticle F1 - magnifying reticle		F1	
Travel value per click	1 Click = x / 100y	inches	.36"	
Travel value per click	1 Click = x / 100m	cm	1cm	
Turret rotation for elevation	CCW - Counterclockwise up CW - Clockwise up	direction	CW	
Elevation range total	100y	inches	100	
Elevation range total	100m	cm	280	
Windage range total	100y	inches	100	
Windage range total	100m	cm	280	
Parallax compensation	Parallax free at x distance		100m	
Transmission Daylight	ISO 14490-5:2005		87.00%	
Height	Without covers	inches	2	
Height	Without covers	mm	51.2	
Width	Without covers	inches	2.7	
Width	Without covers	mm	68	
Weight	Without covers	ounces	21.7	
Weight	Without covers	grams	617	
Turrets	Type		Capped Passion Trac New Turret	
Reticle Options	G4i = German #4 illuminated		G4i	



Editorial Contact:

Karen Lutto

Hunter Outdoor Communications

210-451-9113 (office)

804-539-6699 (cell)

karen@hunteroc.com

HOC Website: www.hunteroc.com