



OPTIMUM ARMS

CATALOG





Optimum Arms: Redefining Excellence in Firearms

Optimum Arms is dedicated to providing high-quality, reliable, and affordable wide range of shotguns that cater to the needs of enthusiasts and professionals worldwide.

With a comprehensive range of shotguns, spare parts, and AR-15 platforms, our products are crafted to deliver superior performance and unmatched value.

Among our standout innovations are patented double and triple folding shotguns, designed with advanced engineering to offer compact versatility, bold aesthetics, and ease of use—ideal for those looking to refresh and expand their offerings with modern innovative solutions.

Manufactured in Turkey, our firearms combine cutting-edge technology with affordability, ensuring an optimal balance of price and exceptional performance.

We also offer OEM manufacturing and custom solutions, tailored to meet the market-specific demands, providing distinct competitive advantage.

At Optimum Arms, we are committed to empowering our business partners with products that set new standards in quality and innovation, ensuring their continued success in an ever-evolving industry.

Product Categories



Over & Under



Side By Side



Single Barrel



Semi Auto
Shotguns



Lever Action



Tactical Mag Fed



Pump Action



Spare Parts

OVER & UNDER SHOTGUNS

Optimum Arms Over & Under Shotguns combine timeless design with unmatched reliability, featuring durable solid frames, easy maintenance, and premium Turkish walnut craftsmanship making them perfect for long-lasting performance in any condition.


 OPTIMUM ARMS

“Timeless classic”

 OPTIMUM ARMS



OPT N 212



OPT N 220



OPT N 236

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Trigger	Stock	Average Weight
OPT N 212			21.5" - 55cm.						7.7 lbs - 3.5 kg
OPT N 220	Break Action	12 Ga. 3"(76mm)	26" - 66cm. 28" - 71cm.	F, IM, M, IC, SK	2	Steel	Single Selective	Turkish Walnut	6.8 lbs - 3.1 kg
OPT N 236			30" - 76cm.						6.3 lbs - 2.9 kg

SIDE BY SIDE SHOTGUNS

 OPTIMUM ARMS

Optimum Arms Side-by-Side Shotguns embody timeless elegance and superior craftsmanship, renowned for their classic design and exceptional balance.

With a wide barrel configuration that offers an excellent field of view, they deliver seamless handling and quick target acquisition, making them the preferred choice for discerning hunters and shooting enthusiasts.

 OPTIMUM ARMS

OP SS 12



OB SS 12

OP B 212



BLACK



WHITE ENGRAVED



Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Trigger	Stock	Average Weight
OP B 212 B.	Break Action	12 Ga. 3"(76mm)	18" - 47cm.	F, IM, M, IC,SK	2	Steel	Single Selective	Turkish Walnut	7.7 lbs - 3.5 kg
OP B 212 W. E.			21.5" - 55cm.						
OP SS 12			26" - 66cm.						
			28" - 71cm.						
			30" - 76cm.				Double		7.1 lbs - 3.2 kg

SINGLE BARREL SHOTGUNS

Optimum Arms Single Barrel Shotguns are the benchmark of simplicity and reliability.

With fewer moving parts and an easy-to-maintain design, they provide a straightforward, safe shooting experience, making them the perfect choice those who value efficient, simple, reliable operation.



WALNUT

OP SB 100



SYNTHETIC

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weight
OP SB 100	Break Action with Extractor	12 Ga. 3" (76mm)	20" - 51cm. 22" - 55cm. 24" - 60cm. 26" - 66cm. 28" - 71cm.	Cylinder	1	Steel	Synthetic Walnut	4.6 lbs - 2.1 kg



OP SBH 100

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
OP SBH 100	Break Action with Extractor	12 Ga. 3"(76mm)	20" - 51cm. 22" - 55cm. 24" - 60cm. 26" - 66cm. 28" - 71cm.	Cylinder	1	Steel	Turkish Walnut	4.6 lbs - 2.1 kg

SEMI AUTO SHOTGUNS

INERTIA OPERATED SHOTGUNS

Optimum Arms Inertia-Operated Shotguns offer unmatched reliability, combining a simple, fast, and clean operating system with lightweight design and ultra-reliable performance, even in high-volume shooting conditions.

Featuring superior materials and a robust steel locking mechanism, they ensure consistent, effortless operation and easy maintenance, making them ideal for demanding shooters.



“Experience the thrill
of flawless hunting
with the best system”



OP 300



Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weight
OP 300 Walnut	Inertia System - Semi Auto	12 GA. 3" (76 mm)	21.7" - 55 cm	F, IM, M, IC, SK	3+1 - 5+1	Aluminium	Walnut	6.95 lb. 3.150 kg
OP 300 Synthetic			24" - 61 cm 26" - 66 cm 28" - 71 cm 30" - 76 cm				Synthetic	



OP 400



OP 200



OP 350

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weight
OP 200	Inertia System Semi Auto	12 Ga. 3"(76mm)	24" - 61 cm.	F, IM, M, IC, SK	2+1 4+1	Aluminium	Turkish Walnut	6,4 lbs - 2.9 kg.
OP 350			26" - 66 cm.					6,8 lbs - 3.1 kg.
OP 400			28" - 71 cm.					6,8 lbs - 3.1 kg.
OP 200			30" - 76 cm.					6,4 lbs - 2.9 kg.
		20 Ga. 3"(76mm)						

LEVER ACTION SHOTGUNS

Optimum Arms Lever Action Shotguns combine reliability and simplicity, offering quick cycling and smooth operation.

With a lever mechanism to manually load rounds from a tubular magazine, they allow for fast follow-up shots while providing a rich history and nostalgic appeal for firearms enthusiasts.



OP L 410



Temper



Nickel

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weight
OP L 410 Temper	Lever Action	36 Ga. (410 Cal.) 66mm., 76mm	20" - 51cm.	Fixed Choke	2+1	Steel	Turkish Walnut	6.6 lbs - 3.0 kg (8+1 Mag. Cap.)
OP L 410 Nickel			21.5" - 55cm. 24" - 61cm. 26" - 66cm. 28" - 71cm.		5+1 7+1 8+1 9+1			6.1 lbs - 2.8 kg. (5+1 Mag. Cap.)

LR 12 TAC AL



LR 12



LR 12 TAC



Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
LR 12	Lever Action	12 Ga., 76mm	8" - 20 cm	F, IM, M, IC, SK	2+1 - 4+1	Aluminium	Turkish Walnut	6.6 lbs - 3 kg.
LR 12 TAC			13" - 33 cm		5+1 - 6+1			6.4 lbs - 2.9 kg.
LR 12 TAC AL			18" - 47 cm 20" - 51 cm 21,5" - 55 cm 24" - 61 cm 26" - 66 cm 28" - 71 cm		7+1 - 10+1			6.8 lbs - 3.1 kg.

SEMI AUTO SHOTGUNS

GAS OPERATED SHOTGUNS

Optimum Arms Gas-Operated Shotguns deliver unmatched reliability with a softer shooting experience, featuring reduced felt recoil for enhanced comfort.

By utilizing a system that divides recoil into smaller, manageable pushes, these shotguns provide a smooth, controlled cycle, making them an ideal choice for recoil-sensitive shooters.

**“Ultimate reliability
matched with the softer
shooting features”**

OP TAC 200



Military Green

OP TAC 300

“Folding Semi-Auto Shotgun With Pistol Grip Short Barrel”



OP TAC 200 SPG




OP TAC 200 - I



OP TAC 200 PRO



Iron Blue



Bronze

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weighth
OP TAC 200	Gas Operated - Semi Auto	12 GA. 3" (76 mm)	20" - 51cm.	F, M, CL, TURKEY CHOKE	4+1 - 7+1	Aluminium	Synthetic Fixed	7 lb. 3.2 kg
OP TAC 200 PRO			24" - 61cm.					
OP TAC 200 - I			28" - 71cm.					
OP TAC 200 SPG			14" - 36cm.					

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weighth
OP TAC 300	Gas Operated - Semi Auto	12 GA. 3" (76 mm)	20" - 51 cm 26" - 66 cm 28" - 71 cm	Slug Barrel or 3 Mobile Chokes (C/M/IM)	3+1 - 7+1	Aluminium	Synthetic with Pistol Grip	7.2 lb. 3.3 kg

TACTICAL MAG FED SHOTGUNS

OPT S 410



Optimum Arms tactical magazine-fed shotguns offer superior functionality and performance, featuring increased capacity, faster reloading, and exceptional reliability.

With enhanced ergonomics and ease of operation, they are a powerful and trusted choice for home defense.



Iron Blue



Military Green



Snow Camo



Compact

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weight
OPT S 410 Iron Blue	Gas Operated Semi Auto	36 GA. 410 CAL.) - 3"(76 mm)	18.5" - 47 cm	Slug Cylinder	5+1 - 10+1	Aluminium	Telescopic	7.2 lb. 3.28 kg
OPT S 410 Snow Camo								
OPT S 410 Military Green								
OPT S 410 Compact			4.4 lb. 2 kg					

OPT VM G2 12



“Ultra-reliable,
durable, fast,
and special”

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weigth
OPT VM G2 12	Gas Operated Semi Auto	12 GA. 3" (76 mm)	18.5" - 47 cm	Slug Cylinder	5+1 - 10+1	Aluminium	Synthetic Fixed / Telescopic	8.6 lb.
OPT VM G2 12 Compact			20" - 51 cm					13" - 33 cm



Desert Sand



Black



Military Green Compact



Black Compact

OPT VM G2 20



Desert Sand



Black



Military Green



Desert Sand Compact

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weight
OPT VM G2 20	Gas Operated Semi Auto	20 GA. 3" (76 mm)	18.5" - 47 cm	Slug Cylinder	5+1 - 10+1	Aluminium	Synthetic Fixed / Telescopic	7.7 lb. 3.5 kg
OPT VM G2 20 Compact			13" - 33 cm					7.5 lb. 3.4 kg



OPT VM G1 12



OPT VM G1 20



OPT MF S12



BLACK



DESSERT SAND

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weight
OPT VM G1 12	Gas Operated - Semi Auto	12 GA. 3" (76 mm)	18.5" - 47cm 20" - 51cm	Slug Cylinder	5+1 - 10+1	Polymer	Synthetic Fixed / Telescopic	7.2 lb. 3.3 kg
OPT VM G1 20	Gas Operated - Semi Auto	20 GA. 3" (76 mm)	20" - 51cm	Slug Cylinder	5+1 - 10+1	Polymer	Synthetic Fixed / Telescopic	6.4 lb. 2.9 kg

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Lower Receiver	Stock	Average Weight
OPT MF S12	Gas Operated Semi Auto	12 GA. 3" (76 mm)	18.5" - 47cm 20" - 51cm	Slug Cylinder	5+1 - 10+1	Polymer	Synthetic Fixed	7,7 lbs. 3,5 kg.

PUMP ACTION SHOTGUNS

PUMP ACTION SHOTGUNS

Optimum Arms Pump Action Shotguns offer ultra-reliable performance with a fast cycling time and easy operation.

Featuring a textured grip, soft rubber recoil pad, and centered balance, they provide comfort during long sessions.

With a patented folding design, OP TAC 100 model offer easy storage, transport, and quick deployment, all while delivering high durability at an affordable cost.



“Special patented folding design”

“Tactical Triple Folding Pump Action Shotgun, Side Folding Stock and Ergonomic Forearm”



OP TAC 100



OP TAC 100 - I



OP TAC 100 - II

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weigth
OP TAC 100	Pump Action	12 GA. 3" (76 mm)	14" - 36 cm	F, M, CL, TURKEY CHOKE	4+1 - 5+1 - 7+1	Aluminium	Fixed Synthetic	6.4 lb. - 2.9 kg
OP TAC 100 - I			18.5" - 47 cm					6.4 lbs - 2.5 kg
OP TAC 100 - II			20" - 51cm 24" - 61cm 28" - 71cm					6.6 lbs - 3 kg



OP 110



OP 120

Code	System	Gauge & Chamber	Barrel Length	Choke	Magazine Capacity	Receiver	Stock	Average Weight
OPT 110	Pump Action	12 GA. 3" (76 mm)	14" - 36cm.	F, IM, M, IC, SK	5+1	Aluminium	Synthetic	7.3 lbs - 3.35kg.
OPT 120			18.5" - 47cm. 20" - 51cm. 24" - 61cm. 28" - 71cm.		7+1 9+1			

**SPARE
PART**



 **OPTIMUM ARMS**

OPT S 410 UPPER SET

 **OPTIMUM ARMS**



Code	System	Gauge & Chamber	Barrel Length	Choke	Average Weight
OPT S 410 UPPER SET	Gas Operated - Semi Auto	36 GA. (410 CAL.) - 3"(76 mm)	18.5" - 47cm	Slug Cylinder	4.6 lbs 2.09 kg





THE WISE CHOICE



optimumarms.com.tr



[/optimumarmstr](https://www.facebook.com/optimumarmstr)



[@optimumarms](https://www.instagram.com/optimumarms)



[/optimumarms](https://www.linkedin.com/company/optimumarms)