



PRODUCT CATALOG

www.husanarms.com



HUSAN ARMS
SHOTGUNS-RIFLE-PISTOL





HUSAN ARMS

SHOTGUNS-RIFLE-PISTOL



ABOUT US

OUR COMPANY;

Our company, which was founded in march 1988 with the title of Huđlu Av Malzemeleri San. Tic. Ltd. Őti. and known as HUSAN, Manufactured air rifles for 5 years. Between 1993-1998, Our company had been marketing shotguns together with spare parts production in the firearms industry. As a result, it has been recognized as a pioneer in this field. Between 1998 and 2010, Our company produced spare parts for the automotive industry as well as the firearms industry for 12 years and exported nearly 80% of its production to European countries. **In 2010**, our company started the production of new generation magazine-fed shotguns with MKA 1919 and HUSAN brands.

Since 2014, it has continued its production in accordance with TSE TS-870 IS standard principles.

Our company, which always gives priority to quality, was entitled to receive the below certificates and continues to manufacture in these quality standards from now on 08.10.2019 ISO 9001:2015 (QMS), ISO 14001:2004 (EMS), ISO 45001:2018 (OHS), In the year 2016, In the United States of America, where we export the majority of our products, a Turkish brand was awarded for the first time with the Golden Bullseye Awards-Shooting Illustrated Shotgun (Shooting Rifle of the Year) quality award among the best products for shooting sports by the NRA (National Rifle Association) with the MKA1919. **In 2019**, Our company started to produce Bullpub shotguns with his brand MKA1923. **In March 2019**, Our company received both National Facility Security Clearance and NATO Facility Security Clearance Certificates. **In May 2019**, Establishment Permit was obtained from the Ministry of National Defense for the production of ballistic parts. Our company also has the Approved Supplier Certificate of the General Directorate of Military Factories. **In 2020**, HUSAN was awarded the Rifled Firearms Production Permit by the Ministry of National Defense. **In 2020**, Our company started to produce 5.56x45 Nato cal Semiautomatic Rifle with his brand MKA556. **In 2021**, Our company started to produce 9X19 cal Pistol and Rifle with his brand MKA919.

OUR MISSION;

Our company, which has left behind 34 years in the sector; Together with

* Manufacturer/ Husan Metal Teknolojileri San. Tic. ve A.ő

* Sales and Marketing/ Husan Store Arms Import Export Marketing

With our understanding of trade based on sincerity and friendship to our customers, by carefully following the developing quality and competitive environment in our country, our mission is to continue our service without sacrificing quality, durability, and customer satisfaction.

OUR VISION;

Our vision is to create a corporate culture that is in constant communication with the world, that constantly develops, includes all of the quality elements, has a high level of knowledge and transfer, takes care of human safety and the continuity of natural life.





MKA 919 TR2



BARREL NI-BOR
INSIDE COATING

EASY PULL
SLIDE

STRIKER
STATUS
INDICATOR

MIL-STD-1913
MILITARY STANDARD
PICATINNY RAIL

TRIGGER
SAFETY

MAGAZINE
EXTENSIONS



MKA919 TR2

TECHNICAL SPECS

BRAND	MKA 919
MODEL	TR2
CALIBER	9x19 MM
BARREL LENGTH	4,40 INCHES
BARREL TWIST RATE/SET NO	1:10 / 6 PCS RIGHT
BARREL LIFE (NI-BOR COATING)	10.000 RD MIN
MUZZLE VELOCITY	1.246 FT/S - 380 M/S
EFFECTIVE RANGE	80 YD / 75 M
ACCURACY	3 MOA AT 15 YARDS
MAGAZINE CAPACITY	14 RD
MAGAZINE CAP. WITH EXT.	19 RD
TOTAL LENGTH	7,50 INCHES
TOTAL HEIGHT	6 INCHES
WEIGHT WITHOUT MAGAZINE	28,50 ONS / 810 GR
COATING	ANODIZED / CERAKOTE
PRODUCTION STANDARD	C.I.P. / SAAMI
WARRANTY	2 YEARS





MKA 919 TR2-RD



BARREL NI-BOR
INSIDE COATING

EASY PULL
SLIDE

RED DOT
COMPATIBLE

STRIKER
STATUS
INDICATOR

MIL-STD-1913
MILITARY STANDARD
PICATINNY RAIL

TRIGGER
SAFETY

MAGAZINE
EXTENSIONS

MKA919 TR2 RD

TECHNICAL SPECS


BRAND	MKA 919
MODEL	TR2
CALIBER	9x19 MM
BARREL LENGTH	4,40 INCHES
BARREL TWIST RATE/SET NO	1:10 / 6 PCS RIGHT
BARREL LIFE (NI-BOR COATING)	10.000 RD MIN
MUZZLE VELOCITY	1.246 FT/S - 380 M/S
EFFECTIVE RANGE	80 YD / 75 M
ACCURACY	3 MOA AT 15 YARDS
MAGAZINE CAPACITY	14 RD
MAGAZINE CAP. WITH EXT.	19 RD
TOTAL LENGTH	7,50 INCHES
TOTAL HEIGHT	6 INCHES
WEIGHT WITHOUT MAGAZINE	28,50 ONS / 810 GR
COATING	ANODIZED / CERAKOTE
PRODUCTION STANDARD	C.I.P. / SAAMI
WARRANTY	2 YEARS





MKA 9 RSA-075S





MKA9 RSA-075S

TECHNICAL SPECS

BRAND	MKA9
MODEL	RSA-075S
CALIBER	9 x 19 MM
BARREL LENGTH	7.5 INCHES
BARREL TWIST RATE/SET NO	1:10 / 6 PCS RIGHT
BARREL LIFE (NI-BOR COATING)	10.000 RD MIN
MUZZLE VELOCITY	1.299 FT/S - 396 M/S
EFFECTIVE RANGE	100 YD / 90 M
ACCURACY	3 MOA AT 25 YARDS
TRIGGER TYPE/PULL FORCE	SINGLE STAGE / 5,5 LB - 2,5 KGS
WORKING PRINCIPLE	BLOW BACK
OPERATION	SEMI-AUTO OR FULL-AUTO (OPTIONAL)
MAGAZINE TYPE	POLYMER GL COMPATIBLE
MAGAZINE CAPACITY	15 / 17 / 33 RD
MUZZLE DEVICE	A2 TYPE
HANDGUARD TYPE/LENGTH	M-LOK / 7"
TOTAL LENGTH	23,2 INCHES RETRACTED
WEIGHT (W/O MAGAZINE)	5,70 LB / 2,60 KGS
COATING	ANODIZED / CERAKOTE
PRODUCTION STANDARD	C.I.P. / SAAMI
WARRANTY	2 YEARS



MKA 9 RSA-140S





MKA9 RSA-140S

TECHNICAL SPECS

BRAND	MKA9
MODEL	RSA-140S
CALIBER	9 x 19 MM
BARREL LENGTH	14 INCHES
BARREL TWIST RATE/SET NO	1:10 / 6 PCS RIGHT
BARREL LIFE (NI-BOR COATING)	10.000 RD MIN
MUZZLE VELOCITY	1.299 FT/S - 396 M/S
EFFECTIVE RANGE	100 YD / 90 M
ACCURACY	3 MOA AT 25 YARDS
TRIGGER TYPE/PULL FORCE	SINGLE STAGE / 5,5 LB - 2,5 KGS
WORKING PRINCIPLE	BLOW BACK
OPERATION	SEMI-AUTO OR FULL-AUTO (OPTIONAL)
MAGAZINE TYPE	POLYMER GL COMPATIBLE
MAGAZINE CAPACITY	15 / 17 / 33 RD
MUZZLE DEVICE	A2 TYPE
HANDGUARD TYPE/LENGTH	M-LOK / 12"
TOTAL LENGTH	29,7 INCHES RETRACTED
WEIGHT (W/O MAGAZINE)	6,40 LB / 2,9 KGS
COATING	ANODIZED / CERAKOTE
PRODUCTION STANDARD	C.I.P. / SAAMI
WARRANTY	2 YEARS



MIRZA
MP9-055S





MIRZA MP9-055S


TECHNICAL SPECS

BRAND	MIRZA
MODEL	MP9-055S
CALIBER	9 x 19 MM
BARREL LENGTH	5.5 INCHES
BARREL TWIST RATE/SET NO	1:10 / 6 PCS RIGHT
BARREL LIFE (NI-BOR COATING)	10.000 RD MIN
MUZZLE VELOCITY	1.299 FT/S - 396 M/S
EFFECTIVE RANGE	100 YD / 90 M
ACCURACY	3 MOA AT 25 YARDS
TRIGGER TYPE/PULL FORCE	SINGLE STAGE / 5,5 LB - 2,5 KGS
WORKING PRINCIPLE	BLOW BACK
OPERATION	SEMI-AUTO OR FULL-AUTO (OPTIONAL)
MAGAZINE TYPE	POLYMER GL COMPATIBLE
MAGAZINE CAPACITY	15 / 17 / 33 RD
MUZZLE DEVICE	A2 TYPE
HANDGUARD TYPE/LENGTH	M-LOK / 4,5"
TOTAL LENGTH	21,2 INCHES RETRACTED
WEIGHT (W/O MAGAZINE)	5,30 LB / 2,40 KGS
COATING	ANODIZED / CERAKOTE
PRODUCTION STANDARD	C.I.P. / SAAMI
WARRANTY	2 YEARS



MKA 556
145S





MKA 556-145S

TECHNICAL SPECS


BRAND	MKA
MODEL	556-145S
CALIBER	5,56X45 MM (.223 REM)
BARREL LENGTH	14.5 INCHES
BARREL TWIST RATE/SET NO	1:7 / 6 PCS RIGHT
BARREL LIFE (NI-BOR COATING)	10.000 RD MIN
MUZZLE VELOCITY	2.887 FT/S - 880 M/S
EFFECTIVE RANGE	550 YD / 500 M
RATE OF FIRE	750-950 RPM
ACCURACY	3 MOA AT 100 YARDS
TRIGGER TYPE/PULL FORCE	SINGLE STAGE / 5,5 LB - 2,5 KGS
WORKING PRINCIPLE	DIRECT IMPINGEMENT
OPERATION	SEMI-AUTO OR FULL-AUTO (OPTIONAL)
MAGAZINE TYPE	POLYMER
MAGAZINE CAPACITY	10 / 30 RD
MUZZLE DEVICE	A2 TYPE
HANDGUARD TYPE/LENGTH	A2 / 7"
TOTAL LENGTH	30,7 INCHES RETRACTED
WEIGHT (W/O MAGAZINE)	7,30 LB / 3,30 KGS
COATING	ANODIZED / CERAKOTE
PRODUCTION STANDARD	C.I.P. / SAAMI
WARRANTY	2 YEARS





MIRZA M556-115S





MIRZA M556-115S

TECHNICAL SPECS

BRAND	MIRZA
MODEL	M556-115S
CALIBER	5,56X45 MM (.223 REM)
BARREL LENGTH	11.5 INCHES
BARREL TWIST RATE/SET NO	1:7 / 6 PCS RIGHT
BARREL LIFE (NI-BOR COATING)	10.000 RD MIN
MUZZLE VELOCITY	2.887 FT/S - 880 M/S
EFFECTIVE RANGE	550 YD / 500 M
RATE OF FIRE	750-950 RPM
ACCURACY	3 MOA AT 100 YARDS
TRIGGER TYPE/PULL FORCE	SINGLE STAGE / 5,5 LB - 2,5 KGS
WORKING PRINCIPLE	DIRECT IMPINGEMENT
OPERATION	SEMI-AUTO OR FULL-AUTO (OPTIONAL)
MAGAZINE TYPE	POLYMER
MAGAZINE CAPACITY	10 / 30 RD
MUZZLE DEVICE	A2 TYPE
HANDGUARD TYPE/LENGTH	M-LOK / 10"
TOTAL LENGTH	27,2 INCHES RETRACTED
WEIGHT (W/O MAGAZINE)	6,80 LB / 3,10 KGS
COATING	ANODIZED / CERAKOTE
PRODUCTION STANDARD	C.I.P. / SAAMI
WARRANTY	2 YEARS



MIRZA M556-145S





MIRZA M556-145S

TECHNICAL SPECS

BRAND	MIRZA
MODEL	M556-145S
CALIBER	5,56X45 MM (.223 REM)
BARREL LENGTH	14.5 INCHES
BARREL TWIST RATE/SET NO	1:7 / 6 PCS RIGHT
BARREL LIFE (NI-BOR COATING)	10.000 RD MIN
MUZZLE VELOCITY	2.887 FT/S - 880 M/S
EFFECTIVE RANGE	550 YD / 500 M
RATE OF FIRE	750-950 RPM
ACCURACY	3 MOA AT 100 YARDS
TRIGGER TYPE/PULL FORCE	SINGLE STAGE / 5,5 LB - 2,5 KGS
WORKING PRINCIPLE	STRAIGHT PULL
OPERATION	PUMP ACTION
MAGAZINE TYPE	POLYMER
MAGAZINE CAPACITY	10 / 30 RD
MUZZLE DEVICE	A2 TYPE
HANDGUARD TYPE/LENGTH	M-LOK / 12"
TOTAL LENGTH	32 INCHES RETRACTED
WEIGHT (W/O MAGAZINE)	6,80 LB / 3,10 KGS
COATING	ANODIZED / CERAKOTE
PRODUCTION STANDARD	C.I.P. / SAAMI
WARRANTY	2 YEARS



MKA 1919
MATCH





MKA 1919 MATCH

TECHNICAL SPECS

BRAND	MKA 1919
MODEL	MATCH
CALIBER	12GA
CHAMBER	76 MM / 3 INCHES
OPERATION	SEMI AUTO GAS SYSTEM
UPPER RECEIVER	ALUMINUM 7075 T6
LOWER RECEIVER	POLYMER
HANDGUARD	ALUMINUM 6013
BOLT	SAE 4140 STEEL
BARREL	SAE 4140 STEEL - SLUG
COATING	BLACK ANODIZED OR CERAKOTE
BARREL COATING	BLACK CHROME
STOCK	POLYMER TELESCOPIC OR FIXED
MAGAZINE CAPACITY	5 / 10 RD
CHOKE OPTIONS	SLUG OR MOBILE CHOKE
BARREL LENGTH	51 CM / 20 INCHES
OVERALL LENGTH	99 CM / 39 INCHES
AVERAGE WEIGHT	3,8 KGS / 8,4 LB
PRODUCTION STANDART	C.I.P / SAAMI
WARRANTY	2 YEARS





M K A 1 9 1 9

H-FORCE





MKA 1919 H-FORCE

TECHNICAL SPECS

BRAND	MKA 1919
MODEL	H-FORCE
CALIBER	12GA
CHAMBER	76 MM / 3 INCHES
OPERATION	SEMI AUTO GAS SYSTEM
UPPER RECEIVER	ALUMINUM 7075 T6
LOWER RECEIVER	ALUMINUM 7075 T6
HANDGUARD	ALUMINUM 6013
BOLT	SAE 4140 STEEL
BARREL	SAE 4140 STEEL - SLUG
COATING	BLACK ANODIZED OR CERAKOTE
BARREL COATING	BLACK CHROME
STOCK	POLYMER TELESCOPIC OR FIXED
MAGAZINE CAPACITY	5 / 10 RD
CHOKE OPTIONS	SLUG OR MOBILE CHOKE
BARREL LENGTH	51 CM / 20 INCHES
OVERALL LENGTH	94 CM / 37 INCHES
AVERAGE WEIGHT	3,6 KGS / 7,9 LB
PRODUCTION STANDART	C.I.P / SAAMI
WARRANTY	2 YEARS



M K A 1 9 1 9
X-RATE





MKA 1919 X-RATE

TECHNICAL SPECS

BRAND	MKA 1919
MODEL	X-RATE
CALIBER	12GA
CHAMBER	76 MM / 3 INCHES
OPERATION	SEMI AUTO GAS SYSTEM
UPPER RECEIVER	ALUMINUM 7075 T6
LOWER RECEIVER	ALUMINUM 7075 T6
HANDGUARD	ALUMINUM 6013
BOLT	SAE 4140 STEEL
BARREL	SAE 4140 STEEL - SLUG
COATING	BLACK ANODIZED OR CERAKOTE
BARREL COATING	BLACK CHROME
STOCK	POLYMER TELESCOPIC OR FIXED
MAGAZINE CAPACITY	5 / 10 RD
CHOKE OPTIONS	SLUG OR MOBILE CHOKE
BARREL LENGTH	51 CM / 20 INCHES
OVERALL LENGTH	96 CM / 37,8 INCHES
AVERAGE WEIGHT	3,7 KGS / 8,1 LB
PRODUCTION STANDART	C.I.P / SAAMI
WARRANTY	2 YEARS



MKA 1919 COMPACT





MKA1919 COMPACT

TECHNICAL SPECS

BRAND	MKA 1919
MODEL	COMPACT
CALIBER	12GA
CHAMBER	50 MM / 1.96 INCHES
OPERATION	SEMI AUTO GAS SYSTEM
UPPER RECEIVER	ALUMINUM 7075 T6
LOWER RECEIVER	ALUMINUM 7075 T6
HANDGUARD	ALUMINUM 6013
BOLT	SAE 4140 STEEL
BARREL	SAE 4140 STEEL - SLUG
COATING	BLACK ANODIZED OR CERAKOTE
BARREL COATING	BLACK CHROME
STOCK	POLYMER TELESCOPIC OR FIXED
MAGAZINE CAPACITY	5 / 10 RD
CHOKE OPTIONS	SLUG OR MOBILE CHOKE
BARREL LENGTH	33 CM / 13 INCHES
OVERALL LENGTH	75 CM / 29,5 INCHES
AVERAGE WEIGHT	2,9 KGS / 6,4 LB
PRODUCTION STANDART	C.I.P / SAAMI
WARRANTY	2 YEARS



Since 1988



TURKEY

Discover
the potential

- ✓ EsentepeMah. 40522 Sk. No: 2B
Beyşehir/KONYA/TURKEY
- ☎ +1 332 900 63 38
- ☎ +90 332 511 04 00/01/02/03
- ☎ +90 332 511 03 92
- ✉ export@husanarms.com
- 🌐 www.husanarms.com

