

# PREMIUM RIFLE CARTRIDGE BRASS Product Data Sheet



BOOTH 70912



PREMIUM SHOOTING PRODUCTS

ADG BRASS CARTRIDGE CASES are the world's most consistent and durable brass cartridge cases produced. Manufactured completely in the U.S.A. using 100% U.S.-sourced raw material. To achieve the best results in long distance shooting, you must start with the best materials - brass, bullets, powder, and primer. ADG manufactures WORLD RECORD SETTING consistency. ADG cartridge case designs are tested to a minimum of 10 firings at SAAMI maximum pressure with no inter-firing anneals.



**RETAIL PACKED PRODUCT &  
BULK PACKED  
PRODUCT AVAILABLE.**

## KEY FEATURES

- PROPRIETARY MANUFACTURING PROCESS  
INDUSTRY HIGHEST LOT-to-LOT CONSISTENCY
- TYPICAL INTERNAL VOLUME VARIATION LESS THAN 0.2 GRAINS (LESS THAN 1 SINGLE GRANUAL OF PROPELLANT)
- SMALL BATCH PROCESSING, QUALITY FOCUSED PRODUCTION
- BEST-IN-CLASS DURABILITY

## CUSTOM HEADSTAMP PROGRAM

### LARGE RUN:

- Bulk Packed
- Available on All Current Calibers
- \$1,500 Tooling/Setup Fee
- 10,000 Piece Minimum
- Same Pricing as ADG Bulk Packed Product

### SMALL RUN

- Packed in ADG Retail Orange Boxes
- Available on ALL Current Calibers
- \$1,200 Tooling/Setup Fee
- MSRP - 20% Pricing
- 5,000 Piece Minimum Run

## AVAILABLE CALIBERS:

22 Creedmoor	308 Win
6mm Creedmoor	300 SAUM
6UM-30/6mm SAUM	300 PRC
25 Creedmoor	300 Win Mag
6.5mm Creedmoor	30 Nosler
6.5mm PRC	300 WSM
6.5mm SAUM	300 Rem Ultra Mag
260 Rem Mag	300 Norma Mag
6.8mm Western	338 Win Mag
270 WSM	338 Rem Ultra Mag
7-6.5 PRCW	338 Edge
7mm Rem Mag	338 Norma Mag
7mm SAUM	338 Lapua Mag
7mm PRC	375 H&H Mag
7mm STW	375 Rem Ultra Mag
7-300 PRC	375 Ruger
7mm Rem Ultra Mag	416 Rem Mag

ASK US ABOUT OEM!



**WWW.ATLASDG.COM**

ORDER TODAY: **SALES@ATLASDG.COM**



# ADG BL700 ACTION

## Product Data Sheet



BOOTH 70912



PREMIUM SHOOTING PRODUCTS



### CUSTOMIZEABLE PREMIUM RIFLE ACTION

#### THE "BUILDER'S LINE"

With over 250 years of combined firearms design, testing, and product development experience, incorporating intimate knowledge of the legacy platform and decades of designing award winning action systems currently used by military and police worldwide, ADG is proud to introduce the BL700! The BL700 evolved from the source at Big Green to become today's optimized competition and hunting action platform. Available in many configurations and bolt face options, ADG's BUILDER'S LINE (BL) series gives you maximum flexibility for all your hunting/shooting needs for decades to come!




LOOK FOR  
PRE-FIT BARRELS  
COMING SOON!

MODULAR BOLT HEAD DESIGN  
5 BOLT HEAD SIZES



[WWW.ATLASDG.COM](http://WWW.ATLASDG.COM)

ORDER TODAY: [SALES@ATLASDG.COM](mailto:SALES@ATLASDG.COM)



# ADG BL700 ACTION


## Product Data Sheet



BOOTH 70912



PREMIUM SHOOTING PRODUCTS



### TECHNICAL INFORMATION

#### ACTION TYPE

2-Lug Bolt Action  
90-Degree OR 75-Degree Rotation

#### FORM FACTOR

Remington Model 700 Footprint

#### INTEGRAL RECOIL LUG

0.250" Thick

#### FIRING PIN ASSY

0.075" Tip Diameter; Compatible with M700 Style Firing Pin Assemblies

#### BARREL BREECH

Flat Breech

#### BARREL THREADS

1-1/16 - 16 3B; Timed and Toleranced for Pre-Fit Barrels

#### ACTION SCREWS

1/4 - 28 2B; Industry Standard Spacing.  
LA: 7.345" / SA: 6.495"

#### BOLT HANDLE THREAD

1/4 - 28 Bolt Body  
5/16 - 24 Bolt Knob

### PRODUCT DESIGN FEATURES

- **DESIGNED & TESTED** - Exceeds MIL-STD blocked bore & high pressure requirements
- **17-4PH SS** - No distortion during heat treatment, stronger & tougher than 416SS, best-in-class corrosion resistance
- **EDM CUT BOLT LUG RACEWAYS**
- **MACHINED IN HEAT TREATED CONDITION**
- **INTEGRAL RECOIL LUG**
- **HEADSPACE HELD TO +/- .001"**
- **INTEGRAL PICATINNY RAIL** - MIL-STD 1913 continuous slot spacing across split rails, extended over ejection port for proper scope ring support
- **M700 FIRE-CONTROL COMPATIBLE**
- **OVERSIZED EJECTION PORT**
- **2-PIECE MODULAR BOLT DESIGN**
- **USER REPLACEABLE BOLT HEADS** - 5 sizes available, user ability to change caliber families
- **1-PIECE BOLT BODY**
- **PROVEN PLATE EXTRACTOR**
- **FLUTED FIRING PIN** - Lightweight design, faster lock time.
- **SNAG RESISTANT BOLT STOP** - Low profile to prevent accidental release (extended bolt stop available Q2 2026)

### PURCHASE OPTIONS

(No Cost Options EXCEPT Where Noted)

- **ATF MARKING VARIANCE**
- **LONG or SHORT ACTION**
- **NITRIDE FINISH**
- **SPLIT or FULL RAIL**
- **0-MOA or 20-MOA**
- **FEED LIP GEOMETRY (SELECT)**
  - Solid Bottom
  - No Feed Lips / Detachable Mag Only
  - Magnum Feed Lips  
*Fits M700 Style & AICS Magazine Bottom Metal*
  - Other Remington Factory Feed Lip Geometry (+\$25)
  - Custom Defined Geometry (+\$50)
- **CHOICE of BOLT FACE DIAMETER**
  - Small - 0.384"
  - ARC - 0.445"
  - Standard - 0.470"
  - Magnum - 0.540"
  - Lapua - 0.585"
- **ADDITIONAL BOLT FACES (+\$80)**
- **CHOICE OF BOLT STOP**
  - Low-Profile / Flush Mount
  - Extended / Button Mount



[WWW.ATLASDG.COM](http://WWW.ATLASDG.COM)

ORDER TODAY: [SALES@ATLASDG.COM](mailto:SALES@ATLASDG.COM)



# ARC ULTIMATE CARTRIDGE CASE ANNEALER Product Data Sheet 223 THROUGH 408 CHEYTAC

BOOTH 70912



## SUPERIOR MHT TECHNOLOGY NO CODES REQUIRED

Anneals all brands of brass to a consistent and repeatable level, regardless of geometry differences!

## SHIPS WITH:

**AUTOMATIC FEEDER** that holds 50+ pieces of brass from 223 up to 338 Lapua Magnum and larger.

**ANNEALING PRESETS** for all common calibers to achieve a "factory" level anneal

**INSTRUCTIONAL VIDEOS** that are On-Board through the touch screen

**PRECISION INDUCTION ANNEALING** results in producing the most consistent levels of **PRECISION** and **ACCURACY** downrange.

- **Precise Control of the Annealing - Location and Temperature is Actively Monitored Using a Five (5) Sensor Multi-Heat Thermal Sensor Array (MHT)**
- **MHT Technology - Automatically Accounts and Adjusts Annealing Parameters for Case-to-Case and Brand-to-Brand Cartridge Case Variations, Resulting in a Good Anneal Regardless of Lot or Brand**
- **Continuous Technology Advancement - The Result of ARC Precision and ADG Working Directly Together on Product Development**
- **Direct User Optimization - User Controlled Inputs Allow Complete Control of Specific Heat at a Precise Location to Facilitate the Ultimate in Consistent Performance of the Brass**



**ADG LLC**  
**SOLE U.S.**  
**IMPORTER**


**BOX**  
**OPENING TO**  
**ANNEALING**  
**YOUR FIRST**  
**PIECE OF**  
**BRASS IN**  
**LESS THAN**  
**10 MINUTES!**

Electronic components are imported directly from ARC Precision. Each system is then assembled, tested, calibrated, and ultimately serviced by ADG LLC in the U.S.A.



**WWW.ATLASDG.COM**

**ORDER TODAY: SALES@ATLASDG.COM**



# ADG "FAT-BOY" BUSHING SIZING DIES Product Data Sheet



BOOTH 70912

## PROPER AND OPTIMUM SIZING of ALL BRASS

These dies utilize an 1-1/4" body diameter that will NOT flex when sizing high performance, magnum-sized cartridge brass. In most cases, 7/8" diameter dies will not reliably size the bottom 1/4" to 1/2" of the case body on high quality, high strength magnum cartridge cases - THESE DO!



### AVAILABLE IN THE FOLLOWING CALIBERS:

- 6.5 PRC
- 7-6.5 PRC-W
- 7 PRC
- 7-300 PRC
- 300 PRC
- 375 RUGER
- 6UM-30 (6 SAUM)
- 6UM-40
- 6.5 SAUM
- 7 SAUM
- 300 SAUM
- 6.8 WESTERN
- 270 WSM
- 300 WSM
- 7mm REM ULTRA MAG
- 300 REM ULTRA MAG
- 338 EDGE
- 338 REM ULTRA MAG
- 375 REM ULTRA MAG
- 28 NOSLER
- 300 NORMA MAG
- 338 NORMA MAG
- 338 LAPUA MAG



### COMPATIBLE WITH THE FOLLOWING PRESSES:


- Area 419 Zero Gen 1 & Gen 2
- Creedmoor Sports T-7 Adaptive Press
- Forster Co-Ax XL
- Frankford Arsenal F-1 Single
- Lee Classic Single Cast
- Lenzi Large Cartridge
- RCBS Rock Chucker
- RCBS Rebel
- RCBS Summit
- Redding Ultramag Single
- Redding Big Boss II Single
- Talon Extreme

- 1-1/4" BODY DIAMETER for SUPERIOR STRENGTH AND DIMENSIONAL CONTROL
- SHIPS with THREE (3) BUSHINGS:
  - NOMINAL, +.001", -.001"
- BUSHINGS COMPATIBLE WITH STANDARD 1/2" BUSHINGS (MICRON, REDDING, LEE)
- ADDITIONAL BUSHING SIZES AVAILABLE FOR PURCHASE
- COMPLETELY AND UNIFORMLY SIZES ALL THE WAY TO THE BASE
- FULL-LENGTH SIZING AND DECAPPING
- STAINLESS STEEL WITH PROPRIETARY NITRIDE FINISH
- REAMER CUT & POLISHED FOR SUPERIOR STRAIGHTNESS AND CONCENTRICITY
- EACH DIE SPECIFICALLY DESIGNED FOR PROPER SIZING OF ANY HIGH-PERFORMANCE CARTRIDGE BRASS



[WWW.ATLASDG.COM](http://WWW.ATLASDG.COM)

ORDER TODAY: [SALES@ATLASDG.COM](mailto:SALES@ATLASDG.COM)




# ADG "FAT-BOY" BUSHING SIZING DIES Product Data Sheet



CALIBER	-.001	NOM	+0.001	CALIBER	-.001	NOM	+0.001
6UM-30/6mm SAUM	0.270	0.271	0.272	30 Nosler	0.336	0.337	0.338
6UM-40	0.270	0.271	0.272	300 WSM	0.337	0.338	0.339
6.5mm PRC	0.290	0.291	0.292	300 Rem Ultra Mag	0.334	0.335	0.336
6.5mm SAUM	0.289	0.290	0.291	300 Norma Mag	0.334	0.335	0.336
6.8mm Western	0.307	0.308	0.309	338 Rem Ultra Mag	0.362	0.363	0.364
270 WSM	0.305	0.306	0.307	338 Edge	0.362	0.363	0.364
7-65 PRCW	0.307	0.308	0.309	338 Norma Mag	0.362	0.363	0.364
7mm SAUM	0.313	0.314	0.315	338 Lapua Mag	0.363	0.364	0.365
7mm PRC	0.309	0.310	0.311	375 H&H Mag	-0.001	TBD	0.001
7-300 PRC	0.310	0.311	0.312	375 H&H Mag	-0.001	TBD	0.001
28 Nosler	0.312	0.313	0.314	375 Rem Ultra Mag	-0.001	TBD	0.001
7mm Rem Ultra Mag	0.314	0.315	0.316	375 Ruger	-0.001	TBD	0.001
300 SAUM	0.335	0.336	0.337	416 Rem Mag	-0.001	TBD	0.001
300 PRC	0.334	0.335	0.336				



**WWW.ATLASDG.COM**  
ORDER TODAY: SALES@ATLASDG.COM



# MODULAR REPLACEMENT BOLT for REMINGTON MODEL 700 ACTIONS

## Product Data Sheet



BOOTH 70912



PREMIUM SHOOTING PRODUCTS

## DIRECT FIT TO REMINGTON M700 RECEIVERS

The ADG Modular Model 700 Replacement Bolt features an end-user interchangeable bolt head that is compatible with factory Remington Model 700 rifle receivers! Both the bolt head and bolt bodies are manufactured from Premium 17-4PH Stainless Steel, heat-treated, then finished with a proprietary nitride coating. Stronger and more durable than the original in all aspects! The modular bolt utilizes your existing Remington Model 700 Firing Pin Assembly and comes with the ADG Modular Bolt Handle. The bolt handle is replaceable for future style options. Available in both Long Action and Short Action lengths, the ADG Modular Bolt allows the bolt face to be changed by the end consumer with only a standard firing pin removal tool.



- Premium 17-4PH Stainless Steel
- Proprietary nitride finish
- M700 firing pin assembly compatible
- User-Replaceable bolt heads
- Five bolt face options
- Proven plate-style extractor
- Nitrided M700 plunger ejector
- Replaceable bolt handle for future options
- Bolt heads ship fully assembled
- Five bolt heads sizes available

### AVAILABLE IN FIVE BOLT HEAD SIZES



WITH A NEW BARREL OR TWO, GIVE YOUR M700 THE FLEXIBILITY TO ADAPT TO YOUR HUNTING AND SHOOTING NEEDS!




**NOTE: REBARRELING IS REQUIRED!** The ADG Modular Bolt is **NOT** compatible with factory chambered Remington rifles due to the plate extractor design. It requires a flat-faced barrel chamber. The product information pdf contains all of the information for your gunsmith to chamber your barrel.



# WWW.ATLASDG.COM

ORDER TODAY: SALES@ATLASDG.COM



# ADG BIPOD FEET

## Product Data Sheet



BOOTH 70912



### SPIKED FOR YOUR TERRAIN

Give your bipod a new pair of “shoes”. These are sure to stick into any surface or terrain you find yourself faced with, adding stability to each shot you take. **ADG's BIPOD FEET** utilize special hardened versions of common spikes used in track and field. You can pick your length based upon how aggressive you need them to stick. Made from 6061-T6 aluminum and hard coat anodized, they will outlast the factory rubber feet that come with most bipods today. ADG BIPOD FEET come in two different foot designs - a single spike and a quad-spike design.

#### FEATURES:

#### SHIPS WITH:

- 6061-T6 Aluminum
  - Hard Coat Anodized
  - 1/4" Hardened Spikes
  - 1/8", 3/8", & 1/2" Spikes
    - Included in Optional Spike Kit
  - Harris & Atlas Bipod Compatible
    - Harris, Atlas, MDT Single Pull (CKYE & Groundpod), and other compatibles.
- Set of 1/4" Spikes Installed
  - Spike Socket
  - All Necessary Installation Hardware


**SINGLE SPIKE:** Has a central spike with a concave basic shape that will grab softer surfaces like earth and grassy areas with or without a spike installed. It pushes material forward creating additional resistance as it is loaded.

**QUAD SPIKE:** Has a multi-edge shape that will grab onto multiple points on hard surfaces both with and without spikes installed. Multiple points of contact create a solid foundation against rocks and gravel.



#### OPTIONAL SPIKE KIT

Contains a full complement of spikes including plugs, 1/8", 1/4", 3/8", and 1/2" and replacement hardware for both Harris and Atlas feet.



[WWW.ATLASDG.COM](http://WWW.ATLASDG.COM)

ORDER TODAY: [SALES@ATLASDG.COM](mailto:SALES@ATLASDG.COM)

